



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Chemical Safety and Pollution Prevention  
Registration Division (7505C)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

8033-117

Date of Issuance:

February 12, 2013

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

RF2157 Insecticide

Name and Address of Registrant (include ZIP Code):

Nippon Soda Co., Ltd.  
c/o Nisso America, Inc.  
88 Pine St.  
New York, NY 10005

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label change before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No 8033-117."

Signature of Approving Official:

Venus Eagle, Product Manager 01  
Insecticide-Rodenticide Branch, Registration Division (7505P)

Date:

FEB 12 2013

3. Storage stability (830.6317) and corrosion characteristics (830.6320) data must be submitted within 18 months from the date of this registration notice.
4. Submit one copy of the revised final printed label for the record before you release the product for shipment.
5. The CSF currently on file for this product is the basic CSF, dated 4/21/11.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions, please contact Dr. Jennifer Urbanski at 703-347-0156 or [urbanski.jennifer@epa.gov](mailto:urbanski.jennifer@epa.gov).

A stamped copy of the label is enclosed for your records.

Venus Eagle  
Product Manager 01  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

Enclosure

3 7 6

DRAFT 2-12-13  
EPA Reg. No. 8033-RRT  
[Optional marketing claims are bracketed]

# RF2157 Insecticide

Attracts and Kills house flies.

[Ready to use scatter bait for use indoors [and in enclosed areas].

[For use in bait stations outdoors [and indoors]]

[Contains muscalure [Muscamone®] attractant [and multiple feeding adjuvants] for better attraction]

[[BRAND NAME] house fly bait attracts and kills nuisance [filth] flies in and around livestock, poultry facilities, and stables]

## ACTIVE INGREDIENTS:

Acetamiprid ..... 0.500%

Z-9 Tricosene ..... 0.075%

OTHER INGREDIENTS: ..... 99.425%

TOTAL ..... 100.000%

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**

### FIRST AID

#### If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.
- Have the product container or label with you when calling a poison control center or doctor or going for treatment.
- For emergency information on (product, use, etc.), call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222.

EPA Reg. No. 8033-\_\_\_\_\_

EPA Est. No. \_\_\_\_\_

Registered by:  
Nippon Soda Co., Ltd.  
c/o Nisso America, Inc.  
88 Pine St., 14<sup>th</sup> FL.  
New York, NY 10005

Manufactured for:  
Wellmark International  
1501 East Woodfield Road 200W  
Schaumburg, Illinois 60173

NET CONTENTS: [0.5 to 50 lb(s)] [0.77, 1, 2, 5, 10, 15, 20, 25, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 45, or 50 lb(s)]

Batch No. \_\_\_\_\_

**ACCEPTED**  
**FEB 12 2013**

**Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended, for the  
pesticide registered under:**

EPA Reg. No: 8033-117

**PRECAUTIONARY STATEMENTS**  
**Hazard to Humans and Domestic Animals**  
**CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**ENVIRONMENTAL HAZARDS**

This product is highly toxic to aquatic invertebrates and birds. Treated baits on the soil surface may be hazardous to birds.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or run off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment. Do not apply this product if bees are actively foraging in the treatment area.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT: READ ENTIRE LABEL AND CONDITIONS OF SALE BEFORE USING THIS PRODUCT**

**USE RESTRICTIONS:**

- Do not apply bait inside or within a 10 foot perimeter of homes, or within reach of children or animals.
- Do not apply where poultry or animals, especially dogs and young calves can pick it up or lick it.
- Do not apply where bait may contaminate animal feeds.
- Do not use in food plants or other areas where food is prepared, processed, or served.
- Do not use as a scatter bait around commercial dumpsters that are not enclosed.
- Do not apply as a scatter bait in any area accessible by birds.

**USE INFORMATION:** For best results, integrated fly pest management is recommended, including: sanitation, proper manure management, physical barriers, mechanical traps, and periodic rotation with products (sprays, baits) with different modes of action.

576

**WHERE TO APPLY**

**Do not apply [Brand Name] house fly bait in areas accessible by children, pets, and other animals (including birds).**

[Brand Name] house fly bait must be used in bait stations when application is outdoors. [Brand Name] house fly bait stations may be used around the outside of animal areas and around confined animal feeding operations such as stables, dairies, poultry houses [(including caged layer houses, broiler houses, breeder houses, turkey houses, chicken and pigeon coops)], feed lots, swine buildings, animal pens [(such as calf pens, rabbitries, catteries, goat and sheep pens)] and kennels.

[Brand Name] House Fly Bait stations may be used around dumpsters at the above locations.

[Brand Name] House Fly Bait may only be used as a scatter-bait indoors (including on-walkways inside caged layer houses) or in enclosed outdoor areas that prevent access to the bait by birds in the locations listed above.

**For use in BAIT STATIONS**

**HOW TO APPLY**

Use in any commercial fly bait station-secured at least 4 feet above ground, or in tamper resistant bait stations on or above the ground. Locate bait stations out of reach of children, food producing animals, and pets. Use one bait station containing up to 1.5 oz [(3 tablespoons)] of bait per 250 sq. ft. of house fly infested area. Place bait stations in areas where house flies concentrate. Avoid placing stations in windy or cool, dark locations. Refill bait stations as bait is consumed.

**For use as a SCATTER BAIT**

**HOW TO APPLY**

Do not apply [Brand Name] house fly-bait in any area accessible by birds or other animals. Thinly scatter [Brand Name] house fly bait [directly from container] onto dry, level surfaces such that the granules are close together but not in piles. Avoid windy or cool, dark areas where house flies do not feed. Apply at a rate of 3 oz [ounces] [(= 6 tablespoons [tbsp])] of bait per 500 square feet [sq. ft.] of house fly infested area. Apply in many areas, and when house flies are active, concentrating on the most infested areas. Only a portion of the infested area needs to be treated; house flies will travel several feet [meters] to the bait. Reapply bait [as needed] as it is consumed.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place inaccessible to children or animals.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container.

686

Empty container by tapping side to apply contents as directed in the Directions for Use. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.

**CONDITIONS OF SALE:** To the extent consistent with applicable law, Wellmark International warrants this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions as specified on this label. To the extent consistent with applicable law, there are no other warranties, expressed or implied, concerning the use of this product other than as indicated on the label. This warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

For information or in emergency call 1-800-XXX-XXXX, or visit our web site:  
[www.starbarproducts.com](http://www.starbarproducts.com)

Starbar® and Muscamone® are registered trademarks of Wellmark International.  
Made in USA